

VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

TECHNISCHE KARTE



WIEDERAUFLADBARE LED-TASCHENLAMPE



Gemäß den Bestimmungen des WEEE-Gesetzes ist es verboten, Altgeräte, die mit dem Symbol einer durchgekreuzten Mülltonne gekennzeichnet sind, zusammen mit anderen Abfällen zu entsorgen. Der Benutzer, der elektronische und elektrische Geräte abgeben möchte, ist verpflichtet, diese an einer Sammelstelle für Altgeräte abzugeben. Das Gerät enthält keine gefährlichen Bestandteile, die sich besonders negativ auf die Umwelt und die menschliche Gesundheit auswirken.

VIDEX®



Not Dimmable



Free



IP44

GARANTIE 3 JAHRE

NEUTRAL WHITE



5000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevrtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Неутрално бяла / Bianco neutro.

General parameters

Austauschbare Lichtquelle nein

Art der Lichtquelle

Dimmbar nein

Technologie LED

Elektrische Parameter

Leistung 10 W

Verbindungsschnittstelle USB-C

Photometrische Parameter

Nutzlichtstrom der Lichtquelle (Φ_{use}) 1200 Lm

Farbtemperatur des Lichts 5000K (neutralweiß)

Spitzenlichtintensität 11600 cd

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

Zusätzliche Information

Farbe des Gehäuses	Schwarz
Umgebungstemperaturbereich	-20° +40°C
Quecksilbergehalt	nein
Schutzklasse, IP	IP44
Gehäusematerial	Aviation anodized aluminum

Maße

Strichcode	4820246481021
Höhe	140 mm
Tiefe	29 mm
Breite	29 mm
Menge in der Kiste	20 stück
Einheit Nettogewicht	99g
Im Paket	1 Stk.

Warenkennzeichnungsschilder

Verpackungskennzeichnung CE, Entsorgungsmethode

VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

VIDEX[®]

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

VIDEX[®]

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

VIDEX[®]

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z

A composite image for the VLF-A105Z flashlight. The top portion shows the flashlight resting on a green tactical bag with MOLLE webbing, set against a blurred outdoor background. Below this, the text 'VIDEX[®] MODEL | A105Z' is displayed next to 'ZOOMABLE RECHARGEABLE FLASHLIGHT'. The bottom section features a close-up of the flashlight with its beam illuminated, accompanied by technical specifications: '1200 LUMENS', 'ZOOM', 'TYPE-C', 'IP44', and '1m IMPACT RESISTANCE'.

VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



VIDEX®

MODEL | A105Z

IP44 moisture and dust resistance. Rain protection.



VIDEX®

MODEL | A105Z

High-quality copper conducts current better and retains elasticity over the years compared to cheaper metals.



VIDEX®

MODEL | A105Z

The new TYPE-C charging port is protected from dust and water by a silicone cap. The battery indicator displays appropriate charging status.



VIDEX®

MODEL | A105Z

WITH BATTERY
2200mAh

	TURBO	HIGH	MIDDLE	LOW	MOON	SOS
OUTPUT	1200 Lm	650 Lm	425 Lm	260 Lm	30 Lm	650 Lm
RUNTIME	1h 30min*	1h 40min	2h 30min	5h 20min	83h	1h 40min
DISTANCE	215m	156m	130m	104m	35m	156m
INTENSITY	11600cd	6096cd	4200cd	2720cd	312cd	6096cd

The above output parameters tested with the stock battery Videx 18650 2200mAh and may vary due to conditions and actual batteries used.

*Turbo mode output levels may be reduced by the overheat control system.

VIDEX®

VIDEX VLF-A105Z 1200Lm 5000K

INDEX: VLF-A105Z



Technische Änderungen vorbehalten. Die darin enthaltenen Daten Material ist nicht rechtlich bindend.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Polen.

Datum: 1.11.2024